



LPS LABORATORIES
MSDS
MATERIAL SAFETY DATA SHEET

Section 1 - Product Identification and Use

Manufacturer's Name:
LPS Laboratories

Trade Name:
LPS Tapmatic AquaCut Cutting Fluid

Address (Number Street):
4647 Hugh Howell Road

Chemical Family:
Blended Compound

Address (City, State, Zip):
Tucker, GA 30085-5052

Part Numbers:
01216, 01228, 01205, 01255

Telephone Number: 770-934-7800

Emergency Telephone Number: 1-800-424-9300 Chemtrec

Outside U.S.: (703) 527-3887

Hazardous Materials Description and proper shipping name (49 CFR 172.101):

Compound, Boiler, Preserving Liquid NMFC 50093 SUB 2 BRL/BXS CL55

TSCA Inventory:
All of the ingredients are listed on the TSCA inventory.

HMIS Labeling: **Health:** 1
Flammability: 0
Reactivity: 0

Section 2 - Hazardous Ingredients / Identity Information

Ingredients	CAS Numbers	%WW	OSHA PEL	ACGIH TLV	OTHER LIMITS
Amine Salt of Organic Phosphate Ester	unknown	2-4	N.E.	N.E.	None

Section 3 - Physical / Chemical Characteristics

Boiling point (F°):	212°F	Specific gravity (H2O = 1):	1.0
Vapor pressure (mmHg) @100°F:	18	Percent volatile by volume (%):	95
Vapor density (Air = 1):	approx. 0.6	Evaporation rate (Water = 1):	1
Solubility in water:	100%		
Appearance and odor: Clear, turquoise liquid with cinnamon odor.			

Section 4 - Fire and Explosion Hazard

Flash point (method used): Nonflammable **Flammable limits (of diluent): LEL N.A. UEL N.A.**
Extinguishing media: N.A.
Special fire fighting procedures: None
Unusual fire and explosive hazards: None

N.E. = Not established
N.A. = Not applicable

Section 5 - Health Hazard Data

Primary route(s) of entry: Inhalation, eyes

Health hazard/effects of over exposure:

Inhalation: Headache, dizziness, and nausea.

Eyes: Liquid will cause temporary irritation.

Skin: Repeated or prolonged contact may cause drying of skin.

Ingestion: Not a likely route of exposure. Ingestion may result in nausea, abdominal discomfort, or diarrhea.

Medical conditions aggravated by exposure: None known.

Chemicals listed as potential carcinogen: NTP: No IARC: No OSHA: No

Emergency and first aid procedures:

Inhalation: Move to fresh air and provide oxygen if breathing is difficult.

Eyes: Flush eyes with plenty of water. If irritation persists, contact physician.

Skin: Wash with soap and water; apply medicated skin cream.

Ingestion: Give two glasses of water and induce vomiting immediately by touching finger to back of victim's throat. Never give anything by mouth to an unconscious person.

Section 6 - Reactivity Data

Stability: Stable

Conditions to avoid: None

Incompatibility (Materials to avoid): Magnesium and strong oxidizing agents.

Hazardous decomposition products: Carbon monoxide upon thermal decomposition.

Hazardous polymerization: Will not occur.

Section 7 - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled: Remove leaking container and contain spill. Soak or mop up with absorbent material and discard.

Waste disposal methods: Dispose of in accordance with local, state and federal regulations

RCRA Hazardous Waste No.: N.A.

CERCLA Reportable Quantity: None

SARA TITLE III Chemicals: None

Precautions to be taken in handling and storage: Product should be stored above 20°F and below 120°F. Keep containers closed when not in use.

Section 8 - Control Measures

Respiratory Protection: None required if good ventilation is maintained.

Ventilation: Local exhaust is usually adequate.

Protective gloves: N.A.

Eye protection: Safety glasses.

Other protective equipment: N.A.

Work/hygienic practices: Wash hands with soap and water after use and/or before breaks, lunch and at the end of work periods. Remove contaminated clothing and laundry before reuse.

Section 9 - Preparation Date of MSDS

The foregoing technical information and recommendations are compiled from sources that are believed to be accurate and reliable. However, they are supplied without warranty or guarantee of any kind either expressed or implied. The purchaser is responsible for selecting and determining the suitability of products for purchaser's particular needs and we disclaim any responsibility for improper applications or misuse of our products in any manner whatsoever.

January 16, 2001
Fred Fugitt, Technical Services Chemist
Ed Williams, Manager of Research and Development
LPS Laboratories

Form # 2576
LPS Tapmatic AquaCut Cutting Fluid

ITW