

Material Safety Data Sheet

Section 1 Product and Company Identification

Product Name: **"ALL WEATHER PAINTSTIK & TWIST-STIK";
"B", "B-3/8", "B-E", "B-16", "C", "E", "F", & "N"
PAINTSTIKS; and "LACQUER STIK"**

Revision #:

Date Prepared:

Date Revised: June 16, 2001

Manufacturer:

LA-CO INDUSTRIES, Inc. *Markal Co.*

1201 Pratt Blvd.

Elk Grove Village, IL, USA 60007-5746

Information Telephone:

Emergency Telephone:

Supplier/Importer:

Chemical Formula:

CAS No.:

Derivation:

Synonyms:

General Use:

Section 2 Composition/Information on Ingredients

Ingredient

CAS No.

%

**Product Name: "ALL WEATHER PAINTSTIK & TWIST-STIK";
"B", "B-3/8", "B-E", "B-16", "C", "E", "F", & "N"
PAINTSTIKS; and "LACQUER STIK"**

Revision #:

Date Prepared:

Date Revised: June 16, 2001

Section 3

Hazards Identification

POTENTIAL HEALTH EFFECTS:

Primary Entry Routes:

Acute Effects

Eyes:

Skin:

Ingestion:

Inhalation:

Chronic Effects

Eyes:

Skin:

Ingestion:

Inhalation:

Carcinogenicity:

Target Organ Effects:

Medical Conditions Aggravated by Long-Term Exposure:

Other Information:

HMIS Rating:

Section 4

First Aid

Eye Contact:

Skin Contact:

Ingestion:

Inhalation:

Other Information:

Section 5

Fire Fighting Measures

Flash Point (method):

Autoignition Temperature:

**Product Name: "ALL WEATHER PAINTSTIK & TWIST-STIK";
"B", "B-3/8", "B-E", "B-16", "C", "E", "F", & "N"
PAINTSTIKS; and "LACQUER STIK"**

Revision #:

Date Prepared:

Date Revised: June 16, 2001

LEL:

UEL:

Flammability Classification:

Extinguishing Media:

Hazardous Combustion Products:

Unusual Fire or Explosion Hazards:

Fire-Fighting Instructions/Equipment:

NFPA Rating:

Section 6 Accidental Release Measures

Small Spill:

Large Spill:

Section 7 Handling and Storage

Handling Precautions:

Storage Requirements:

Section 8 Exposure Controls/Personal Protection

Eye/Face Protection:

Skin Protection:

Respiratory Protection:

Other Personal Protective Equipment:

Engineering Controls:

Administrative Controls:

Other Information:

Section 9 Physical and Chemical Properties

Appearance/Physical State:

Odor:

Odor Threshold (ppm):

Specific Gravity (H₂O = 1):

Solubility in Water:

Coefficient of Water/Oil Solubility:

pH:

Melting Point:

Boiling Point:

Vapor Pressure (mm Hg at 20°C):

Vapor Density (Air = 1):

**Product Name: "ALL WEATHER PAINTSTIK & TWIST-STIK";
"B", "B-3/8", "B-E", "B-16", "C", "E", "F", & "N"
PAINTSTIKS; and "LACQUER STIK"**

Revision #:

Date Prepared:

Date Revised: June 16, 2001

**Evaporation Rate (n-BuAc=1):
V.O.C.:**

Section 10 Stability and Reactivity

**Chemical Stability:
Hazardous Polymerization:
Conditions to Avoid:
Chemicals to Avoid:
Hazardous Decomposition Products (non-thermal):**

Section 11 Toxicological Information

**Sensitization to Product:
Irritancy of Product:
Reproductive Toxicity:
Teratogenicity:
Mutagenicity:**

Section 12 Ecological Information

Section 13 Disposal Considerations

Section 14 Transport Information

Section 15 Regulatory Information

Footnotes for Section 2:

- 1**
- 2**
- 3**
- 4**
- 5**
- 6**

OSHA Hazard Status:

**Product Name: "ALL WEATHER PAINTSTIK & TWIST-STIK";
"B", "B-3/8", "B-E", "B-16", "C", "E", "F", & "N"
PAINTSTIKS; and "LACQUER STIK"**

Revision #:

Date Prepared:

Date Revised: June 16, 2001

Toxic Substances Control Act (TSCA):

Canadian Domestic Substances List(DSL):

European Inventory of Existing Chemical Substances (EINECS):

WHMIS Rating (Canada):

Risk Phrases (Canada):

Precautionary Statements (Canada):

CHIP 2 Categories of Danger (England):

Section 16

Other Information

MSDS Prepared By: